

Video doorphone set, handset-free with multicolor 7" LCD screen, code lock and intercom function, surface-mounted, white, SCUTI



Marka: **ORNO Home** | Symbol: **OR-VID-VP-1073/W** | Ean: **5908254802379**



PRODUCT DESCRIPTION

Video doorphone set includes multicolour, ultra-flat 7" LCD monitor with a touch panel and backlit buttons. Monitor parameters (brightness and colour, speech and ringtone volume) can be adjusted. There are 16 ringtones to choose from. The outdoor unit with a CMOS camera is suitable for surface mounting. It has got a protective roof, a name plate and IR diodes that provide excellent night vision. Additionally, the outdoor unit

has a backlit numeric keypad (code lock) that grants access to authorized visitors only. The set can support gate opening and, if you connect an additional monitor to it, you can activate intercom function. DC power source from power supply unit to power outlet (15V DC) or optionally from DIN rail power supply (OR-VID-VP-1009ZD). Electric strike suitable for 12V DC and power consumption of max. 300mA does not require additional power supply.

TECHNICAL DATA

General information:

| | |
|---|--------------------------------|
| Type: | jednorodzinny |
| With video: | tak |
| Current supply: | Zasilanie sieciowe |
| Nominal voltage: | 12V DC |
| Type of transmission: | przewodowy |
| Can be connected to smartphone: | nie |
| Installation technique: | System wieloprzewodowy |
| Number of wires (*from outdoor station to electric strike): | 5 (+2)* |
| Number of indoor stations: | 1 |
| Number of outdoor stations: | 1 |
| Expandable to max. number of indoor stations: | 3 |
| Expandable to max. number of outdoor stations: | 1 |
| Operation door lock: | tak |
| Current supply of the electric strike: | dodatkowy zasilacz niewymagany |
| Connection system of the electric strike: | z panelem zewnętrznym |
| With automatic door opener: | tak |
| With day/night function: | tak |

Monitor:

| | |
|---------------------------------|------------------|
| Mounting method indoor station: | Montaż natynkowy |
| Hands free: | tak |

| | |
|--|-------------------|
| Screen diagonal [inch]: | 7" |
| Screen resolution: | 800x480 |
| Touch screen: | nie |
| Property picture system: | Kolor |
| With memory function: | nie |
| Internal communication: | tak |
| Number of ringtones: | 16 |
| Loudness control: | tak |
| Mutable call tone: | tak |
| Material indoor station: | Tworzywo sztuczne |
| Colour indoor station: | Biały |
| Dimensions of the monitor - Width [mm]: | 200 |
| Dimensions of the monitor - Height [mm]: | 138 |
| Dimensions of the monitor - Depth [mm]: | 23 |

External panel:

| | |
|----------------------------------|------------------|
| Number of call buttons: | 1 |
| Mounting method outdoor station: | Montaż natynkowy |
| Camera resolution: | 600 TVL |
| Camera view angle (vertical): | 64 ° |
| Camera view angle (horizontal): | 96 ° |
| Night light: | IR |
| With digital door code: | tak |
| Card and proximity tags reader: | nie |
| Label space/information surface: | tak |
| With cover: | tak |
| Degree of protection (IP): | IP44 |
| Material outdoor station: | Aluminium |
| Colour outdoor station: | Srebrny |

| | |
|--------------|-----|
| Width [mm]: | 63 |
| Height [mm]: | 150 |
| Depth [mm]: | 24 |







