

APPOS video doorphone set, multicolor LCD 7" monitor, RFID reader, gate opening function, compatible with smartphone app, black



Marka: **ORNO Home** | Symbol: **OR-VID-WI-1068/B** | Ean: **5908254800603**



PRODUCT DESCRIPTION

An innovative APPOS video doorphone set includes a multicolor, 7" LCD monitor and an outdoor wide-angle video camera. Communication between the indoor and outdoor panels does not require any uniphone. Users can download a free app to manage the device directly from their smartphones. It has a cards and proximity tags reader to log in authorized users only. The set can manage gate and door lock opening. It can be

expanded with additional APPOS units.

TECHNICAL DATA

General information:

Type:	jednorodzinny
With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage:	15V DC
Type of transmission:	przewodowy
Can be connected to smartphone:	tak
Wi-Fi Frequency:	2.4 GHz
Wi-Fi standard:	IEEE 802.11 b/g/n; 802.3; 802.3u
App:	aivisi
Installation technique:	Dwużyłowe
Number of wires (*from outdoor station to electric strike):	2 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2
Expandable to max. number of outdoor stations:	2
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
---------------------------------	------------------

Hands free:	tak
Screen diagonal [inch]:	7"
Screen resolution:	1024x600
Touch screen:	tak
Picture system:	PAL/NTSC
Property picture system:	Kolor
With memory function:	tak
SD card reader:	tak
Internal communication:	tak
Number of ringtones:	25 + własne na karcie SD
Loudness control:	tak
Mutable call tone:	tak
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarny
Dimensions of the monitor - Width [mm]:	230
Dimensions of the monitor - Height [mm]:	120
Dimensions of the monitor - Depth [mm]:	25

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	1280x720
Camera view angle (vertical):	60 °
Camera view angle (horizontal):	115 °
Night light:	IR
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	nie

With cover:	nie
Degree of protection (IP):	IP44
Material outdoor station:	Metal + ABS
Colour outdoor station:	Czarny
Width [mm]:	47
Height [mm]:	133
Depth [mm]:	26
Other features:	RFID - max. 50 użytkowników (breloki w zestawie: 4 użytkownika + 2 administracyjne)







