

## Desktop power strip 3-fold 2P+Z, 1,5M H05VV-F 3x1,5mm<sup>2</sup>, 2xUSB+1 typu C

Marka: **Virone** | Symbol: **PS-5/G/1,5M** | Ean: **5908254849992**

**ViRONE**



### PRODUCT DESCRIPTION

The 3-fold desktop power strip is a functional electrical device excellent in areas where access to mains socket is limited. It works well on desks, worktops or in areas where several devices need to be connected at the same time.

The rated current of 16A allows to supply devices with high power consumption with a maximum load of 3680W. The 3 French 2P+E mains sockets facilitate to connect standard devices, such as a computer or

domestic appliances, while the built-in USB charger (2xUSB-A and 1xUSB-C) allows up to 3 mobile devices, such as a smartphone, tablet or power bank to be charged simultaneously. The USB charger's rated current of 3.4A facilitates fast charging of mobile devices.

In addition, the strip is equipped with an on/off switch for added comfort and safety, increasing control over connected devices. The mounting bracket allows the device to be firmly and securely fixed to the chosen work surface to prevent it from moving.

The product is made of high-quality plastic with a matt grey finish. Its body is rectangular, and its compact dimensions (340x94x58 mm) do not take up much space, leaving plenty of working space. The device also features a system with an angularly rotated central insert (45°), which makes it easier to connect devices in more difficult spatial conditions. This makes the device easy to use, even in areas where access to sockets is difficult.

The cable length is 1.5 m.

## TECHNICAL DATA

### General information:

<b>Housing shape:</b>	Prostokątny
<b>Number of socket outlets French standard type E:</b>	3
<b>With on/off switch:</b>	Tak
<b>Number of other socket outlets:</b>	1xUSB C
<b>Number of USB connections:</b>	2xUSB A
<b>Max.Nominal current USB [A]:</b>	3.4
<b>Nominal current [A]:</b>	16
<b>Max. connected load [W]:</b>	3680
<b>Core cross section [mm<sup>2</sup>]:</b>	1.5
<b>Material:</b>	Tworzywo sztuczne
<b>Material quality:</b>	Inne
<b>Surface finishing:</b>	Matowy
<b>Colour:</b>	Szary
<b>Degree of protection (IP):</b>	IP20
<b>Length of power cord [m]:</b>	1.5

Type of plug:	Kątowny
Rotated central insert:	Tak
Angle rotated central insert:	45°
Length [mm]:	94
Width [mm]:	58
Height [mm]:	340
Average active efficiency [%]:	87
Efficiency at low load(10%) [%]:	70
No-load power consumption [W]:	0.1W max
Weight [g]:	680