

MINI wireless sockets with remote control, Schuko, 3+1, 2300W

Marka: **Virone** | Symbol: **RS-8(GS)** | Ean: **5908254846014**

ViRONE


PRODUCT DESCRIPTION

The set of wireless mini sockets with remote control is a solution for those who want to remotely control devices both at home and in the workplace.

The set enables to wirelessly switch on and off the indoor lighting, e. g. Christmas trees, lamps or garlands. It controls up to 8 devices. The white classic finish perfectly composes with different arrangements.

The set includes compact in size remote control (110x37x10mm), which ensures convenient one-way operation, and the three single Schuko-type sockets (2P+E) are compatible with many devices. IP20 rate facilitates indoor installation in dry places, not exposed to moisture. The max. load is 2300W. The dimensions of the socket measure 49x74x49mm each.

The remote control and the receiver are very compact in size which makes them look aesthetic. The transmitter's supply voltage (1xCR2032) and the range up to 40 m in the open field ensure stable operation in different conditions.

TECHNICAL DATA

General information:

| | |
|-----------------------------|--------------------|
| Pre-programmed: | Tak |
| Wireless: | Tak |
| Signal transmission: | Sterowanie radiowe |
| Signal frequency [Mhz]: | 433.92 |
| Frequency [Hz]: | 50 |
| With display: | Nie |
| Adaptive (self-learning): | Nie |
| Height [mm]: | 37 |
| Width [mm]: | 110 |
| Depth [mm]: | 10 |
| Max Load [W]: | 2300 |
| Socket type: | 2P+Z |
| Transmitter supply voltage: | 1 x CR2032 |
| Standby power consumption: | <5µA |
| Level of security: | IP20 |
| Socket standard: | Schuko (typ F) |
| Number of wireless sockets: | 3 |
| USB charger: | Nie |
| Supply voltage [V]: | 230 |

| | |
|------------------------------------|---------|
| Current [A]: | 10 |
| Color: | Biały |
| Shutters for current paths: | Tak |
| Possibility of expansion: | Nie |
| Range in open area [m]: | 40 |
| Working temperatures [°C]: | 0 - +35 |
| Size: | Mini |
| Receiver dimensions - width [mm]: | 49 |
| Receiver dimensions - height [mm]: | 71 |
| Receiver dimensions - depth [mm]: | 49 |