

TORO LED Solar wall lamp with motion sensor, 100 lm, IP42, 3000 K, 800 mAh

Marka: **Virone** | Symbol: **SL/R-3/B** | Ean: **5908254852459**

ViRONE

PRODUCT DESCRIPTION

Install a solar lamp at the entrance to your house, on your balcony or gazebo and get lighting that automatically turns on after dark. TORO LED is perfect for any space you want to illuminate without running cables or connecting to the electrical system.

The lamp uses solar energy and has a built-in 800 mAh battery, which when fully charged, allows operation for up to 8 hours. After dark, the device activates automatically thanks to the twilight sensor. You don't have

to remember to turn the light on and off.

The motion sensor responds within a range of 4–6 meters. You can choose from three lamp modes: - turning on a strong light for 20 seconds after detecting movement,

- constant, delicate illumination with a momentary brightening upon detection of movement,
- continuous lighting without reaction to movement.

This allows you to easily adjust the lamp's operation to your habits.

The warm light colour of 3000 K is perfect for the entrance to the house and in relaxation areas. The lighting does not dazzle the eyes and allows for even illumination of the immediate surroundings.

This is a good choice if you want to illuminate your surroundings with a simple, solar lamp that requires no maintenance.

TECHNICAL DATA

General information:

Nominal voltage [V]:	3.7
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	1
Rated luminous flux according to IEC 62722-2-1 [lm]:	100
With light source:	tak
Suitable for number of lamps:	1
Colour temperature [K]:	3000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	10000
Colour of light:	Ciepła biel
Degree of protection (IP):	IP42
Type of luminaire:	Lampy ogrodowe solarne
Material housing:	Tworzywo sztuczne
Colour housing:	Czarny

Material cover:	Tworzywo sztuczne przezroczyste
With light sensor:	tak
With movement sensor:	tak
Detection range [m]:	4-6
With solar panel:	tak
Type of solar panel:	Polikrystaliczny 5,5V 1W
Width [mm]:	58
Height/depth [mm]:	170
Length [mm]:	120
Voltage type:	DC
Other features:	Akumulator 800 mAh, czas ładowania solarnego 8-9h, czas pracy 6-8h, 3 tryby świecenia



