

## WILLOW LED Solar bollard with motion sensor, 4.5 W, 400 lm, IP44, 4000 K, 2000 mAh



Marka: **Virone** | Symbol: **SL/R-5/B** | Ean: **5908254852473**



### PRODUCT DESCRIPTION

Place a solar bollard on your terrace, driveway or at the entrance to your home and illuminate the space after dark!

The lamp uses solar energy, so it does not require connection to the electrical system or running cables in the ground. During the day, the solar panel charges the built-in battery, and after dark, the device operates automatically thanks to the twilight sensor. Depending on the selected mode, the light can glow softly all

night long or react to movement.

The neutral light colour of 4000 K ensures good visibility, and the IP44 rate protects the lamp against moisture and dust.

The set includes elements for embedding the lamp in the ground.

## TECHNICAL DATA

### General information:

Nominal voltage [V]:	4,2V
Lamp type:	LED, niewymienne
Suitable for lamp power [W]:	4.5
Rated luminous flux according to IEC 62722-2-1 [lm]:	400
With light source:	tak
Colour temperature [K]:	4000
Beam angle:	Wiązka bardzo szeroka > 80°
Rated life time L70/B50 at 25 °C [h]:	25000
Colour rendering index CRI:	80-89
Colour of light:	Neutralny biały
Degree of protection (IP):	IP44
Protection class:	III
Type of luminaire:	Słupek oświetleniowy
Material housing:	Tworzywo sztuczne/Aluminium
Colour housing:	Czarny
Material cover:	Tworzywo sztuczne matowe/satynowe
With light sensor:	tak
With movement sensor:	tak
Detection range [m]:	7
With solar panel:	tak
Type of solar panel:	Panel monokrystaliczny 5V 1,9W

<b>Width [mm]:</b>	114
<b>Height/depth [mm]:</b>	513
<b>Length [mm]:</b>	114
<b>Voltage type:</b>	DC
<b>Other features:</b>	Akumulator 2000 mAh, ładowany przez panel solarny (ok. 7h) lub przez USB-C (ok.5h), czas pracy 8-10h