

Single family videodoorphone CHARON BAX, 7"

Marka: **Virone** | Symbol: **VDP-40** | Ean: **5901752484689**

ViRONE


PRODUCT DESCRIPTION

Ultra slim LCD monitor, with smooth adjustment of parameters (brightness, colour & volume) A panel with backlit buttons External panel with camera requires surface mounting It's equipped with super bright LEDs that enable night vision Electric strike doesn't require additional power supply Easy electric lock opening using the proximity tag.

TECHNICAL DATA

General information:

Type:	jednorodzinny
With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage:	15V DC
Type of transmission:	przewodowy
Can be connected to smartphone:	nie
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	5 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2
Expandable to max. number of outdoor stations:	1
Expandable to max. number of CCTV cameras:	0
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
Hands free:	tak
Screen diagonal [inch]:	7"
Screen resolution:	800x480
Touch screen:	nie

Property picture system:	Kolor
With memory function:	nie
SD card reader:	nie
Internal communication:	nie
Number of ringtones:	1
Loudness control:	tak
Mutable call tone:	nie
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarno-srebrny
Dimensions of the monitor - Width [mm]:	220
Dimensions of the monitor - Height [mm]:	160
Dimensions of the monitor - Depth [mm]:	19.5

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	420 TVL
Camera view angle (vertical):	75°
Camera view angle (horizontal):	66°
Night light:	białe LED
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	tak
With cover:	tak
Degree of protection (IP):	IP44
Material outdoor station:	Aluminium
Colour outdoor station:	Srebrny
Width [mm]:	90

Height [mm]:	180
Depth [mm]:	20
Other features:	RFID – max. 10 użytkowników (karty w zestawie: 3 użytkownika + 2 administracyjne)





