CETI video doorphone set, handset-free, 7" monitor with TF memory card, card/proximity tags reader, IP44

Marka: **Virone** | Symbol: **VDP-60** | Ean: **5900378658665**

PRODUCT DESCRIPTION

An innovative CETI video doorphone set includes a multicolor, flat 7" LCD monitor and an outdoor video camera. Communication between the indoor and outdoor panels does not require any uniphone. An additional lighting of the camera panel, provided by bright IR diodes, enables excellent night vision. It has cards and proximity tags reader to log in authorized users only. The set enables intercom connection, film and picture recording gate control function and door lock opening. The set can be expanded with additional CETI devices.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Type:	jednorodzinny
With video:	tak
Current supply:	Zasilanie sieciowe
Nominal voltage:	12V DC
Type of transmission:	przewodowy
Can be connected to smartphone:	nie
Installation technique:	System wieloprzewodowy
Number of wires (*from outdoor station to electric strike):	4 (+2)*
Number of indoor stations:	1
Number of outdoor stations:	1
Expandable to max. number of indoor stations:	2
Expandable to max. number of outdoor stations:	2
Expandable to max. number of CCTV cameras:	2
Operation door lock:	tak
Current supply of the electric strike:	dodatkowy zasilacz niewymagany
Connection system of the electric strike:	z panelem zewnętrznym
With automatic door opener:	tak
With day/night function:	tak

Monitor:

Mounting method indoor station:	Montaż natynkowy
Hands free:	tak
Screen diagonal [inch]:	7"
Screen resolution:	800x480
Touch screen:	nie

ORNO GROUP Sp. z o. o. All rights reserved.

Property picture system:	Kolor
With memory function:	tak
SD card reader:	tak
Internal communication:	tak
Number of ringtones:	12
Specific call tone:	tak
Loudness control:	tak
Mutable call tone:	tak
Material indoor station:	Tworzywo sztuczne
Colour indoor station:	Czarno-biały
Dimensions of the monitor - Width [mm]:	181
Dimensions of the monitor - Height [mm]:	180
Dimensions of the monitor - Depth [mm]:	18

External panel:

Number of call buttons:	1
Mounting method outdoor station:	Montaż natynkowy
Camera resolution:	700 TVL
Camera view angle (vertical):	69°
Camera view angle (horizontal):	105°
Night light:	IR
With digital door code:	nie
Card and proximity tags reader:	tak
Frequency of RFID tags:	125kHz
Label space/information surface:	nie
With cover:	tak
Degree of protection (IP):	IP55
Material outdoor station:	Tworzywo sztuczne
Colour outdoor station:	Srebrny

ORNO GROUP Sp. z o. o. All rights reserved.

Width [mm]:	85
Height [mm]:	166
Depth [mm]:	42
Other features:	RFID - max. 24 użytkowników (breloki w zestawie: 5 użytkownika + 2 administracyjne)

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.



ORNO GROUP Sp. z o. o. All rights reserved.

ORNO GROUP Sp. z o. o. All rights reserved.