

VIFIS video doorphone set, loudspeaking, LCD 7", OSD menu, WI-FI + smartphone APP, gate control, code lock and RFID, white,

(1)



Marka: Virone | Symbol: VDP-61/W | Ean: 5908254815683



PRODUCT DESCRIPTION

A modern VIFIS video doorphone set that includes a 7" color, ultra-flat LCD monitor, with a built-in WiFi module, and an external panel with a wide-angle camera. Users can download a free TUYA app to control the device from their smartphones. The use of IR diodes provides additional lighting of the external panel and guarantees excellent night vision. This product has got a built-in code lock and RFID reader which allow



access with a code or proximity card or tag (Mifare). Other features of the set: intercom function, film and image recording, gate control, electric strike release. Possibility of extension with additional elements from the VIFIS series.

TECHNICAL DATA

General information:

Туре:	single-family
Number of wires:	4+2
Type of power supply:	mains power supply
Type of transmission:	wired/WiFi
Possibility of extension by an additional external panel:	Yes
Possibility of extension by an additional monitor:	Yes
Possibility of extension by an additional video uniphone:	No
Gate opening:	Yes
Current supply of the electric strike:	power supply from the video intercom
Connection system:	4-wire
Possibility of extension by an additional cctv camera:	Yes

Monitor:

SD card reader:	Yes
Operation:	hands-free
Display:	7 "
Resolution of the monitor's screen:	1024/600
Memory:	Yes
Intercom function:	Yes
Touch screen:	No
Other features of the monitor:	Wi-Fi - Android / iOS APP DVR, digital photo frame, MP3, answering machine, clock



Dimensions of the of the monitor - width (mm):	145 mm
Dimensions of the of the monitor - height (mm):	235 mm
Dimensions of the of the monitor - depth (mm):	61 mm

<u>에</u> ହ

¢

External panel with a camera:

Resolution of the camera:	960 P
Vertical/horizontal camera's view angle:	58,5 st./110 st.
Card and proximity tags reader:	Yes
Type of camera:	traditional lens
Keypad:	Yes
Night lighting:	IR
Dimensions of the external panel - depth:	22 mm
Dimensions of the external panel - width:	48 mm
Dimensions of the external panel - height:	133 mm



























