

## VIFIS video doorphone set, handset-free, 7" monitor, code lock, card/proximity tags reader and mobile application

**ViRONE**

Marka: **Virone** | Symbol: **VDP-61** | Ean: **5900378659815**



### PRODUCT DESCRIPTION

An innovative VIFIS video doorphone set includes a multicolor, ultra-flat 7" LCD monitor and an outdoor video camera. Communication between the indoor and outdoor panels does not require any uniphone. Users can download a free TUYA app to manage the device directly from their smartphones. An additional lighting of the camera panel, provided by bright IR diodes, enables excellent night vision. It has a numeric code lock (to

enter pin codes) and cards and proximity tags reader to log in authorized users only. The set enables intercom connection, film and picture recording gate control function and door lock opening. The set can be expanded with additional VIFIS devices.

## TECHNICAL DATA

### General information:

Type:	single-family
Number of wires:	4+2
Type of power supply:	mains power supply
Type of transmission:	wired/WiFi
Possibility of extension by an additional external panel:	Yes
Possibility of extension by an additional monitor:	Yes
Possibility of extension by an additional video uniphone:	No
Gate opening:	Yes
Current supply of the electric strike:	power supply from the video intercom
Connection system:	4-wire
Possibility of extension by an additional cctv camera:	Yes

### Monitor:

SD card reader:	Yes
Operation:	hands-free
Display:	7 "
Resolution of the monitor's screen:	1024/600
Colour of the monitor:	black
Memory:	Yes
Intercom function:	Yes
Touch screen:	No

Other features of the monitor:	Wi-Fi - Android/iOS APP DVR, digital frame, MP3, answering machine, clock
Dimensions of the of the monitor - width (mm):	145 mm
Dimensions of the of the monitor - height (mm):	235 mm
Dimensions of the of the monitor - depth (mm):	61 mm

## External panel with a camera:

Resolution of the camera:	960 P
Vertical/horizontal camera's view angle:	58,5 ° /110 °
Card and proximity tags reader:	Yes
Type of camera:	traditional lens
Installation:	surface mounting
Keypad:	Yes
Night lighting:	IR
Dimensions of the external panel - depth:	22 mm
Dimensions of the external panel - width:	48 mm
Dimensions of the external panel - height:	133 mm











